

☐ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



V **T03/8CON**
Conical closed plug 3/8


Synthetic oil

Olio sintetico


Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasia S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320

Standard


Standard




Type	N30
Oil q.ty (Lt.)	0.04
Standard 1 oil plug	
Standard	① V




Type	N30
Oil q.ty (Lt.)	0.04
Standard 1 oil plug	
Standard	① V




Type	N30
Oil q.ty (Lt.)	0.04
Standard 1 oil plug	
Standard	① V



Type	N30
Oil q.ty (Lt.)	0.04
Standard 1 oil plug	
Standard	① V



Type	N30
Oil q.ty (Lt.)	0.04
Standard 1 oil plug	
Standard	① V



Type	N30
Oil q.ty (Lt.)	0.04
Standard 1 oil plug	
Standard	① V

☐ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



V **T03/8CON**
Conical closed plug 3/8


Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasia S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


Standard

Standard




B3

Type	N45
Oil q.ty (Lt.)	0.13
Standard 1 oil plug	
Standard	① V




B6

Type	N45
Oil q.ty (Lt.)	0.13
Standard 1 oil plug	
Standard	① V




B7

Type	N45
Oil q.ty (Lt.)	0.13
Standard 1 oil plug	
Standard	① V




B8

Type	N45
Oil q.ty (Lt.)	0.13
Standard 1 oil plug	
Standard	① V



V5

Type	N45
Oil q.ty (Lt.)	0.13
Standard 1 oil plug	
Standard	① V



V6

Type	N45
Oil q.ty (Lt.)	0.13
Standard 1 oil plug	
Standard	① V

□ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



V TO3/8CON
Conical closed plug 3/8


Synthetic oil

Olio sintetico


Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasia S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320

First stage


Precoppia




Type	N45+211N
Oil q.ty (Lt.) B	0.13
Oil q.ty (Lt.) A	0.05
Standard	① v ② v




Type	N45+211N
Oil q.ty (Lt.) B	0.13
Oil q.ty (Lt.) A	0.05
Standard	① v ② v




Type	N45+211N
Oil q.ty (Lt.) B	0.13
Oil q.ty (Lt.) A	0.05
Standard	① v ② v



Type	N45+211N
Oil q.ty (Lt.) B	0.13
Oil q.ty (Lt.) A	0.05
Standard	① v ② v




Type	N45+211N
Oil q.ty (Lt.) B	0.13
Oil q.ty (Lt.) A	0.05
Standard	① v ② v




Type	N45+211N
Oil q.ty (Lt.) B	0.13
Oil q.ty (Lt.) A	0.05
Standard	① v ② v

First stage


Precoppia




Type	N45+411N
Oil q.ty (Lt.) B	0.13
Oil q.ty (Lt.) A	0.14
Standard	① v ② v




Type	N45+411N
Oil q.ty (Lt.) B	0.13
Oil q.ty (Lt.) A	0.14
Standard	① v ② v




Type	N45+411N
Oil q.ty (Lt.) B	0.13
Oil q.ty (Lt.) A	0.14
Standard	① v ② v




Type	N45+411N
Oil q.ty (Lt.) B	0.13
Oil q.ty (Lt.) A	0.14
Standard	① v ② v



Type	N45+411N
Oil q.ty (Lt.) B	0.13
Oil q.ty (Lt.) A	0.14
Standard	① v ② v



Type	N45+411N
Oil q.ty (Lt.) B	0.13
Oil q.ty (Lt.) A	0.14
Standard	① v ② v



GROUP 1

Gearbox and first stage with common lubrication between A and B

Riduttore e precoppia con lubrificazione in comune tra A e B

GROUP 2

Separate gearbox and first stage. Independent lubrication A and B

Riduttore e precoppia con lubrificazione indipendente tra A e B

☐ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



V **TO3/8CON**
Conical closed plug 3/8


Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasia S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


Standard

Standard




B3

Type	N50
Oil q.ty (Lt.)	0.18
Standard 1 oil plug	
Standard	① V




B6

Type	N50
Oil q.ty (Lt.)	0.18
Standard 1 oil plug	
Standard	① V




B7

Type	N50
Oil q.ty (Lt.)	0.18
Standard 1 oil plug	
Standard	① V




B8

Type	N50
Oil q.ty (Lt.)	0.18
Standard 1 oil plug	
Standard	① V



V5

Type	N50
Oil q.ty (Lt.)	0.18
Standard 1 oil plug	
Standard	① V



V6

Type	N50
Oil q.ty (Lt.)	0.18
Standard 1 oil plug	
Standard	① V

☐ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



V **TO3/8CON**
Conical closed plug 3/8


Synthetic oil

Olio sintetico


Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320

First stage


Precoppia




Type	N50+211N
Oil q.ty (Lt.)	B 0.18
Oil q.ty (Lt.)	A 0.05
Standard	① v
	② v




Type	N50+211N
Oil q.ty (Lt.)	B 0.18
Oil q.ty (Lt.)	A 0.05
Standard	① v
	② v




Type	N50+211N
Oil q.ty (Lt.)	B 0.18
Oil q.ty (Lt.)	A 0.05
Standard	① v
	② v



Type	N50+211N
Oil q.ty (Lt.)	B 0.18
Oil q.ty (Lt.)	A 0.05
Standard	① v
	② v




Type	N50+211N
Oil q.ty (Lt.)	B 0.18
Oil q.ty (Lt.)	A 0.05
Standard	① v
	② v




Type	N50+211N
Oil q.ty (Lt.)	B 0.18
Oil q.ty (Lt.)	A 0.05
Standard	① v
	② v

First stage


Precoppia




Type	N50+411N
Oil q.ty (Lt.)	B 0.18
Oil q.ty (Lt.)	A 0.14
Standard	① v
	② v




Type	N50+411N
Oil q.ty (Lt.)	B 0.18
Oil q.ty (Lt.)	A 0.14
Standard	① v
	② v




Type	N50+411N
Oil q.ty (Lt.)	B 0.18
Oil q.ty (Lt.)	A 0.14
Standard	① v
	② v




Type	N50+411N
Oil q.ty (Lt.)	B 0.18
Oil q.ty (Lt.)	A 0.14
Standard	① v
	② v



Type	N50+411N
Oil q.ty (Lt.)	B 0.18
Oil q.ty (Lt.)	A 0.14
Standard	① v
	② v



Type	N50+411N
Oil q.ty (Lt.)	B 0.18
Oil q.ty (Lt.)	A 0.14
Standard	① v
	② v



GROUP 1	GROUP 2
Gearbox and first stage with common lubrication between A and B	Separate gearbox and first stage. Independent lubrication A and B
<i>Riduttore e precoppia con lubrificazione in comune tra A e B</i>	<i>Riduttore e precoppia con lubrificazione indipendente tra A e B</i>

☐ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



V **TO3/8CON**
Conical closed plug 3/8


Synthetic oil

Olio sintetico


Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibius 320

Standard


Standard




Type	N63
Oil q.ty (Lt.)	0.45
Standard 1 oil plug	
Standard	① V




Type	N63
Oil q.ty (Lt.)	0.45
Standard 1 oil plug	
Standard	① V




Type	N63
Oil q.ty (Lt.)	0.45
Standard 1 oil plug	
Standard	① V



Type	N63
Oil q.ty (Lt.)	0.45
Standard 1 oil plug	
Standard	① V



Type	N63
Oil q.ty (Lt.)	0.45
Standard 1 oil plug	
Standard	① V



Type	N63
Oil q.ty (Lt.)	0.45
Standard 1 oil plug	
Standard	① V

☐ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



V TO3/8CON
Conical closed plug 3/8


Synthetic oil

Olio sintetico


Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320

First stage


Precoppia




Type	N63+211N
Oil q.ty (Lt.)	B 0.45
Oil q.ty (Lt.)	A 0.05
Standard	① v
	② v




Type	N63+211N
Oil q.ty (Lt.)	B 0.45
Oil q.ty (Lt.)	A 0.05
Standard	① v
	② v




Type	N63+211N
Oil q.ty (Lt.)	B 0.45
Oil q.ty (Lt.)	A 0.05
Standard	① v
	② v



Type	N63+211N
Oil q.ty (Lt.)	B 0.45
Oil q.ty (Lt.)	A 0.05
Standard	① v
	② v




Type	N63+211N
Oil q.ty (Lt.)	B 0.45
Oil q.ty (Lt.)	A 0.05
Standard	① v
	② v




Type	N63+211N
Oil q.ty (Lt.)	B 0.45
Oil q.ty (Lt.)	A 0.05
Standard	① v
	② v

First stage


Precoppia




Type	N63+411N
Oil q.ty (Lt.)	B 0.45
Oil q.ty (Lt.)	A 0.14
Standard	① v
	② v




Type	N63+411N
Oil q.ty (Lt.)	B 0.45
Oil q.ty (Lt.)	A 0.14
Standard	① v
	② v




Type	N63+411N
Oil q.ty (Lt.)	B 0.45
Oil q.ty (Lt.)	A 0.14
Standard	① v
	② v




Type	N63+411N
Oil q.ty (Lt.)	B 0.45
Oil q.ty (Lt.)	A 0.14
Standard	① v
	② v



Type	N63+411N
Oil q.ty (Lt.)	B 0.45
Oil q.ty (Lt.)	A 0.14
Standard	① v
	② v



Type	N63+411N
Oil q.ty (Lt.)	B 0.45
Oil q.ty (Lt.)	A 0.14
Standard	① v
	② v



GROUP 1	GROUP 2
Gearbox and first stage with common lubrication between A and B	Separate gearbox and first stage. Independent lubrication A and B
Riduttore e precoppia con lubrificazione in comune tra A e B	Riduttore e precoppia con lubrificazione indipendente tra A e B

□ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



V **TO3/8CON**
Conical closed plug 3/8


Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


Standard

Standard




B3

Type	N85
Oil q.ty (Lt.)	1.00
Standard 1 oil plug	
Standard	① V




B6

Type	N85
Oil q.ty (Lt.)	1.00
Standard 1 oil plug	
Standard	① V




B7

Type	N85
Oil q.ty (Lt.)	1.00
Standard 1 oil plug	
Standard	① V




B8

Type	N85
Oil q.ty (Lt.)	1.00
Standard 1 oil plug	
Standard	① V



V5

Type	N85
Oil q.ty (Lt.)	1.00
Standard 1 oil plug	
Standard	① V




V6

Type	N85
Oil q.ty (Lt.)	1.00
Standard 1 oil plug	
Standard	① V


First stage

Precoppia




B3

Type	N85+411N
Oil q.ty (Lt.) B	1.00
Oil q.ty (Lt.) A	0.14
Standard	① V ② V




B6

Type	N85+411N
Oil q.ty (Lt.) B	1.00
Oil q.ty (Lt.) A	0.14
Standard	① V ② V




B7

Type	N85+411N
Oil q.ty (Lt.) B	1.00
Oil q.ty (Lt.) A	0.14
Standard	① V ② V




B8

Type	N85+411N
Oil q.ty (Lt.) B	1.00
Oil q.ty (Lt.) A	0.14
Standard	① V ② V




V5

Type	N85+411N
Oil q.ty (Lt.) B	1.00
Oil q.ty (Lt.) A	0.14
Standard	① V ② V



V6

Type	N85+411N
Oil q.ty (Lt.) B	1.00
Oil q.ty (Lt.) A	0.14
Standard	① V ② V



GROUP 1	GROUP 2
Gearbox and first stage with common lubrication between A and B	Separate gearbox and first stage. Independent lubrication A and B
Riduttore e precoppia con lubrificazione in comune tra A e B	Riduttore e precoppia con lubrificazione indipendente tra A e B